

**Flux pinning properties of (Nd, Eu, Gd)Ba₂Cu₃O_y (NEG-123)
superconductors with 211 phase particles.**

Submitted by

MOHAMMED NASIM HASAN

Student Number: 04792004-1

Department of Computer Science and Electronics

Faculty of Computer Science and System Engineering

Kyushu Institute of Technology, Japan

December, 2006

**Flux pinning properties of (Nd, Eu, Gd)Ba₂Cu₃O_y (NEG-123)
superconductors with 211 phase particles.**

by

MOHAMMED NASIM HASAN

Department of Computer Science and Electronics
Faculty of Computer Science and System Engineering
Kyushu Institute of Technology, Japan

December, 2006

Contents	
List of Figures	V
List of Tables	VIII
Acknowledgements	IX
Dedication	X
Chapter 1	
General Introduction	1
1.1 Superconductivity – The basic phenomena	1
1.2 Type-1 and Type-2 superconductors	2
1.3 Superconducting materials	4
1.4 Applications of superconductivity	4
1.5 Flux pinning	5
1.5.1 G-L theory and free energy of a superconductor	5
1.5.2 The general features of elementary flux pinning	8
1.6 The features of RE-123 superconductors	9
1.6.1 Impact of melt processing in RE-123 superconductors	10
1.6.2 Flux pinning in RE-123 superconductors	14
1.6.2.1 Pinning by non-superconducting particles	14
1.6.2.2 Pinning by a lower T_c regions	16
1.6.3 The flux pinning characteristics of the peak effect and irreversibility field in RE-123 superconductors	18
1.7 The transverse flux bundle size	26
1.8 Scope of this thesis	28
References	30
Chapter 2	
Experimental Method	34
2.1 Introduction	34
2.2 Crystal structure of NdBa ₂ Cu ₃ O _y single crystal superconductor.	34
2.3 Sample preparations	36
2.3.1 Flux grown NdBa ₂ Cu ₃ O _y single crystal superconductor	36
2.3.2 OCMG processed-(Nd, Eu, Gd)Ba ₂ Cu ₃ O _y bulk superconductors with addition of 211 phase particles	37
2.4 DC magnetization measurements	38
2.4.1 General description of SQUID magnetometer	38

2.4.2	T_c measurements	39
2.4.3	Hysteresis measurements	39
2.4.4	Magnetic relaxation measurements	41
	References	43
	Chapter 3	44
	Flux pinning property in a single crystal NdBa₂Cu₃O_y superconductor	
3.1	Introduction	44
3.3	Experimental	45
3.5	Results and discussion	45
3.6	Summary	51
	References	52
	Chapter 4	53
	Flux pinning properties of (Nd, Eu, Gd)Ba₂Cu₃O_y (NEG-123) superconductor with 211 phase particles	
4.1	Introduction	53
4.2	Experimental	54
4.3	Results and discussion	54
4.4	Summary	65
	References	66
	Chapter 5	
	Concluding remarks	67
	Appendices-1	69
	The flux creep-flow model	
1.1	Flux creep phenomena	69
1.2	Flux creep in sinusoidal washboard potential	72
1.3	TAFF(Thermally Activated Flux Creep)	73
1.4	Pinning potential	73
1.5	Number of flux lines in the flux bundle	76
1.6	Irreversibility field	78
1.7	Flux creep-flow model	79
	References	81

List of Figures

1.1	Variation in electrical resistance versus temperature	1
1.2	Meissner effect	2
1.3	Josephson effect	2
1.4	Magnetic field dependence of magnetization for (a) type-1 superconductor and (b) type-2 superconductor.	3
1.5	Phase diagram on the magnetic field vs temperature plane for (a) type-1 superconductor and (b) type-2 superconductor.	3
1.6	Spatial variations of the order parameter and the magnetic flux density in an isolated flux lines.	8
1.7	(a) Variation of energy when flux line passes through a pinning center and (b) the variation of the pinning force.	9
1.8	Subsolidus phase diagram of the Nd-Ba-Cu-O system at 890 ⁰ C in air.	11
1.9	The range of RE-Ba substitution for the RE-123 system in air.	12
1.10	T_c as a function of x for Nd _{1+x} Ba _{2-x} Cu ₃ O _{7-δ} samples.	12
1.11	Susceptibility $\chi(T)$ of Nd-Ba-Cu-O samples melt processed.	13
1.12	Arrangement of normal core of flux line and normal precipitate.	15
1.13	Schematic illustration of field-induced flux pinning by finely distributed Nd-rich Nd123ss regions.	17
1.14	Spatial variation in the order parameter around the lower- T_c region.	18
1.15	(a) Uniaxial compression, (b) bending deformation and (c) shearing deformation	19
1.16	A double potential well	20
1.17	Arrangements of flux lines in the order and disorder state.	20
1.18	J_c - B properties (77 K, $B \parallel c$ -axis) of (R1, R2, R3)-123 composites OCMG processed in 0.1% O ₂ -Ar.	22
1.19	Comparison of the field dependence of the critical current densities at 77 K.	22
1.20	Field dependence of J_c obtained from magnetization measurements at $T=77$ K for NEG superconductors with different volume fractions.	24

1.21	Field dependence of the critical current density for NEG-123 samples with varying Eu/Gd contents.	25
1.22	Comparison of the field dependence of the critical current density for melt-processed YBCO, OCMG ($\text{Nd}_{0.33}\text{Eu}_{0.33}\text{Gd}_{0.33}$) $\text{Ba}_2\text{Cu}_3\text{O}_y$ sample and newly developed ($\text{Nd}_{0.33}\text{Eu}_{0.38}\text{Gd}_{0.28}$) $\text{Ba}_2\text{Cu}_3\text{O}_y$ sample with 5 mol% NEG-211.	26
2.1	Physical phase diagram of HTSC cuprates.	34
2.2	Structure of the $\text{Nd}_{1+x}\text{Ba}_{2-x}\text{Cu}_3\text{O}_z$ solid solution with various types of cation and anion ordering.	35
2.3:	Schematic illustration of temperature profile for melt-processing.	36
2.4	T_c measurements in Nd-123 single crystal superconductor.	40
2.5	A hysteresis measurements in Nd-123 superconductor.	41
2.6	A relaxation measurements in Nd-123 superconductor.	42
3.1	Magnetic field dependence J_c at various temperatures.	45
3.2	Temperature dependence of B_i , B_p and B_d .	46
3.3	Peak field (B_p), dip field (B_d) and irreversibility field (B_i) in specimen of Y-123 with addition of 211 phase particles.	47
3.4	Magnetic relaxation in Nd-123 superconductors.	47
3.5	(a) Magnetic field dependence of U_0^* and J_c at 40 K; (b) Magnetic field dependence of g^2 at 40 K.	48
3.6	(a) Magnetic field dependence of U_0^* and J_c at 77.3 K; (b) Magnetic Field dependence of A_m , g^2 and σ^2 at 77.3 K.	49
4.1	Field dependence critical current density J_c in NEG-123 system with different volume fraction of (a) NEG211 and (b) EG211 particles at 80 K.	55
4.2	Variation of the peak critical current density J_{cp} and irreversibility field B_i with 211 particles at 80 K.	56
4.3	Variation of the peak critical current density J_{cp} with of 211 particles at 77.3 K.	56
4.4	A negative correlation between peak critical current density J_{cp} and irreversibility field B_i in NEG-123 system.	57
4.5	Plots of J_c (77 K, 1 T with $H // c$ -axis) against	58

	V_f/d (211) for various melt-processed Y-Ba-Cu-O samples.	
4.6	High magnification STM image of the cleaved surface of (Nd _{0.33} Eu _{0.38} Gd _{0.28} Ba ₂ Cu ₃ O _y) sample.	59
4.7	TEM micrograph of a (Nd _{0.33} Eu _{0.38} Gd _{0.28} Ba ₂ Cu ₃ O _y) sample.	59
4.8	Temperature dependence of upper critical field	61
4.9	Variation of critical temperature and upper critical field at 80 K	62
4.10	Relationship between upper critical field and irreversibility field	63
4.11	Theoretical fitting of J_c -B curve at 80 K	63
4.12	Comparison of the irreversibility field between experimental and theoretical field	64
A1	Washboard pinning potential.	70
A2	Relation between activation energy, U , and normalized current density, $j = J / J_{c0}$.	71
A3	(a) average pinning force density vs. displacement of flux lines. (b) pinning potential for unit volume of flux line.	74
A4	Volume of flux bundle, V .	75
A5	g^2 is obtained from experimental result and g_e^2 predicted by elastic theory.	77

List of Tables

1.1	The applications of superconductors.	4
1.2	RE-123 superconductors and their transition temperature	9
2.1	The preparation conditions of flux-grown Nd-Ba-Cu-O	37
2.2	Specification of SQUID magnetometer MPMS-7	38
2.3	Measurement condition for DC magnetization	39
4.1	Pinning parameters	64

Acknowledgements

This dissertation has been carried out under the able supervision of Dr. Teruo Matsushita, Professor, Department of Computer Science and Electronics, Faculty of Computer Science and System Engineering, Kyushu Institute of Technology, Japan. I express my deepest sense of gratitude and sincere appreciation to Prof. Teruo Matsushita for his constant vigilance, invaluable suggestions and constructive guidance to the completion of this dissertation work. I also express my deepest sense of gratitude to Prof. E. S. Otabe of this Department whom I found as an eager teacher and friend to help all the time. I am also grateful to Dr. M. Kiuchi, Research associate of this Department for giving all kind of facilities to continue my dissertation work. I would like to thanks Ms. Beppu to provide a lot of help for my dissertation. I owe a great debt to my wife Jarin Akhter for supporting me with constant inspiration and motivation for research work. I also accord warm appreciation to all of my friends and well wisher.

**Dedicated to
My Parents
and
My grandfather, Dr. M. M. Mahmud**